

WAARMAKERS



R16

zero waste light fixture
made from its own packaging

WAARMAKERS

Waarmakers V.O.F.

Keerpunt 10, 1013 DK

Amsterdam, the Netherlands


tel +31 20 261 76 68

email info@waarmakers.nl





web store.waarmakers.nl

Product : LED Tubelight luminary
Model / Type : R16
Power : 220V
Production year : 2020

2014/35/EU - Low voltage directive
2014/30/EU - Electromagnetic compatibility
2011/65/EU - RoHS




RoHS



Dimensions

overall dimensions

1200 x 32 mm
radius 16 mm
power cord 2m
cord length 4m



LED Tubelight

	4000 K	3000 K
LEDtube	T8	T8
Power consumption	14 W	12 W
Voltage	222 V	220 V
Luminous flux	1704 lm	1250 lm
Length	900 mm	900 mm
Diameter	26 mm	26 mm
Color Code	840	830
Color Temperature	4000K	3000K
Color Rendering Index	84 Ra	83 Ra
Cap Base	G13	G13
Dimmable	YES	YES
Rated Lifetime	40000 hours	40000 hours
Energy Efficiency Label (EEL)	A++	A++
Material	PC	Glass
Beam Angle	180°	320°


DIMMING LIST COMPATIBILITY

DIMMER BRAND	MODEL	SPECS
Jung	1730 DD	3 - 60 Watt
Schneider Electric Merten	MTN5134 - 0000	4 - 400 Watt
Gira	2262 00	3 - 100 Watt

*Other dimmers can yield good results and we recommend conducting your own test before final installation





natural



all-black

Material

cardboard	natural
	also available in matte black
power cord	black wire (red optional)
pendant cord	waxed cotton
stopper	cork



Detailing

pendant	screw-in hooks M4
lamp ends	2x conical cork 32.5x28.5x27mm
lamp stopper	pencil / 5 cent coin

